



# FLTR ROAD GLIDE®

**MSRP: Starting at \$17,695**[SHOW METRIC UNITS](#)

DIMENSIONS	U.S. UNITS
<b>Length</b>	93.7 in.
<b>Seat Height</b>	
Laden <a href="#">1</a>	26.9 in.
Unladen	29.5 in.
<b>Ground Clearance</b>	5.1 in.
<b>Rake Steering Head/Trail</b>	26.0° / 6.2 in.
<b>Wheelbase</b>	63.5 in.
<b>Fuel Capacity</b>	5.0 gals.
<b>Oil Capacity</b>	4.0 qts.
<b>Weight</b>	
Dry Weight	761.0 lbs.
Running Order	792.0 lbs.
POWERTRAIN	
<b>Engine</b> <a href="#">2</a>	Air-cooled, Twin Cam 96™
<b>Displacement</b>	96.0 in. <sup>3</sup>
<b>Bore x Stroke</b>	3.75 in. x 4.38 in.
<b>Engine Torque</b> <a href="#">3,4</a>	92.6 ft. lbs. @ 3500 rpm
<b>Fuel System</b> <a href="#">5</a>	Electronic Sequential Port Fuel Injection (ESPFI)
<b>Compression Ratio</b>	9.2:1
<b>Miles per Gallon</b> <a href="#">6</a>	
ESPFI	45.0 hwy / 32.5 city
<b>Primary Drive</b>	Chain
<b>Gear Ratio (overall)</b>	
1st	9.312
2nd	6.421
3rd	4.774
4th	3.926
5th	3.279
6th	2.790
WHEELS/TIRES	
<b>Wheels</b> <a href="#">7</a>	
Front	Silver 9-Spoke Cast Aluminum
Rear	Silver 9-Spoke Cast Aluminum
<b>Tire Size</b>	
Front	MT90B16 72H
Rear	MU85B16 77H
ELECTRICAL	

<b>Instruments</b>	Electronic speedometer w/ odometer, resettable tripmeter, tachometer, fuel gauge, voltmeter, low oil pressure gauge, diagnostics readout, 6-speed indicator light, cruise control with indicator light, ambient air temperature gauge
<b>Indicator Lamps</b>	High beam; running lights, directional light bar, neutral, low oil pressure, engine diagnostics; turn signals, security system (optional), 6-speed, low fuel warning
<b>CHASSIS</b>	
<b>Brakes</b>	
Front	4-piston
Rear	4-piston
<b>Lean Angle (per SAEJ1168)</b>	30° / 32°
<b>Exhaust System</b>	Chrome, touring cross-over duals with slash-up down caps

**COLOR OPTIONS** 📌

Vivid black, black cherry pearl, black pearl, fire red pearl, deep cobalt pearl, Pacific blue pearl (new), pewter pearl (new) yellow pearl, mirage orange pearl

**OPTIONAL EQUIPMENT**

Security system; Chrome Aluminum Profile Laced front and rear wheels

**UNIQUE FEATURES**

40-watt AM/FM/WB/CD/MP3 Advanced Audio System by Harman/ Kardon®; wind-splitting, frame-mounted fairing; cockpit-style full instrumentation; silver powder-coated engine with chrome covers; clean front and rear fenders; electronic cruise control

**PRICING** 📌

<b>MSRP</b>	
Vivid black	\$17,695
Color	\$18,125
Two-tone	N/A
Custom color	N/A
Anodized	N/A
<b>Wheel Option</b>	\$450
<b>Chrome Engine Covers Option</b>	N/A
<b>H-D® Factory Security System</b>	\$325
<b>ESPMI</b>	Standard
<b>California Emissions</b>	
ESPMI	\$100
<b>Freight (applies to the 48 contiguous states and Alaska only)</b>	\$335

- 1 Measurement reflects 180 lb. (81.7 kg) operator weight.
- 2 Recommended 91 octane or higher fuel (R+M)/2. Standard and optional fuel systems may vary by country and region.
- 3 Per SAE J1349 (SAE J607 for FXDSE, FXSTSSE & all VRSC models).
- 4 Values shown are nominal. Performance varies by country.
- 5 Fuel systems may vary by country and region.
- 6 Estimated from fuel economy tests on a sample motorcycle from the corresponding family conducted by Harley-Davidson under ideal laboratory conditions. Not all motorcycle models undergo fuel economy testing. Fuel economy and mileage may vary among motorcycle models within a family. Your mileage may vary depending on your personal riding habits, weather conditions, trip length, vehicle condition and vehicle configuration and other conditions. Break-in mileage may vary.
- 7 Standard and optional wheels may vary by country and region.
- 8 Availability of colors may vary from dealer to dealer, and is subject to change without notice.
- 9 Prices listed are the Manufacturer's Suggested Retail Prices for sale in the United States of America. Options such as color, laced wheel and fuel systems are available at additional cost. Prices exclude dealer setup, taxes, title and licensing and are subject to change. Dealer prices may vary.

**BACK TO TOP ▲**

All models feature 6-speed transmission (VRSC and Sportster models are 5-speed) and carbon-fiber belt final drive; multi-plate clutch with diaphragm spring in oil bath; and 2-year unlimited-mileage warranty.

Harley-Davidson reserves the right to discontinue models or change specifications at any time without incurring any obligations. Vehicle specifications may vary by country and region depending on local laws. Some models are not available in certain countries.

Attention: The vehicle in the configuration shown and many of the accessories for this vehicle are not available for sale or use in several countries outside the U.S. Specifications and vehicle availability may vary from market to market depending on local importation and registration laws. Please check with your local dealer for details.

Specifications may not match those of official certification in some markets due to timing of content release, variance in testing methods, and/or vehicle differences. Customers seeking officially recognized regulatory specifications for their vehicle should refer to certification documents and/or contact their respective retailer or distributor.